रजिस्ट्री सं० डी० 221 REGISTERED No. D. 221

भारत का राजपत्र
The Gazette of India

असाधारण
EXTRAORDINARY
भाग II—खण्ड 3—उपखण्ड (ii)
PART II—Section 3—Sub-section (ii)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं० 334] नई दिल्ली, सोमवार, अक्टूबर 17, 1966/आश्विन 25, 1888
No 334] NEW DELHI, MONDAY, OCTOBER 17, 1966/ASVINA 25, 1888

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके।
Separate paging is given to this Part in order that it may be filed as a separate compilation.

MINISTRY OF COMMERCE

NOTIFICATIONS

New Delhi, the 17th October 1966

S.O. 3149.—Whereas the Central Government is of opinion that in exercise of the powers conferred by section 6 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), electric fans shall be subject to quality control and inspection prior to export;

And whereas the Central Government has formulated the proposals specified below for the said purpose and has forwarded the same to the Export Inspection Council, as required by sub-rule (2) of rule 11 of the Export (Quality Control and Inspection) Rules, 1964;

Now, therefore, in pursuance of the said sub-rule the Central Government publishes the said proposals for the information of the public likely to be affected thereby.

2. Notice is hereby given that any person desiring to forward any objection or suggestion with respect to the said proposals may forward the same within thirty days of the date of publication of this notification to the Export Inspection Council, 'World Trade Central', 14/1-B, Ezra Street, (7th floor), Calcutta-1.

Proposals

(1) To notify that electric fans shall be subject to quality control and inspection prior to export;

(2) To specify the type of quality control and inspection in accordance with the draft Export of Electric Fans (Quality Control and Inspection) Rules, 1966 set out in Annexure IV to this notification as the type of quality control and inspection which would be applied to such electric fans;

(3) To recognise—

(a) the specifications of the export contract as agreed upon between the buyer and the seller, and

(b) in the absence of any specifications as mentioned in sub-item (a), the specifications as set out in Annexure II to this notification as the standard specifications for electric fans;

(4) To prohibit the export, in the course of international trade, of such electric fans unless the same are either accompanied by a certificate issued by any of the Export Inspection Agencies established under section 7 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), to the effect that the electric fans are export-worthy or are affixed with a seal or mark recognised by the Central Government under section 8 of the said Act, indicating that the electric fans conform to either the specifications of the export contract or, in the absence of any such specification, the Indian Standard specifications or Indian Railway Standard specifications, as the case may be, as set out in Annexure II to this notification.

2. Nothing in this notification shall apply to the export by land, sea or air of samples of electric fans aforesaid not exceeding three in number to prospective buyers.

3. In this notification electric fans shall mean any of the electric fans meant for creating displacement of air and operated by electric power and specified in Annexure I below:

ANNEXURE I

1. Table fans
2. Ceiling fans
3. Pedestal fans
4. Propeller fans
5. Centrifugal fans
6. Air Circulators
7. Railway Carriage Fans
8. Exhaust fans
9. Portable Blower fans
10. Vacuum Cleaners
11. All purpose fans.

ANNEXURE II

Sl. No.	Commodity	Relevant specification issued by ISI/Indian Railway
1.	Electric ceiling fans and regulators	IS—374—1960
2.	Electric Table fans and regulators	IS—555—1960
3.	Pedestal type electric fans	IS—1169—1957
4.	Propeller type AC Ventilating fans	IS—2312—1963
5.	Carriage Fan and Regulator (24 Volt DC) . . .	IRSS Serial No. E 4-54
6.	Carriage Fan and Regulator (110 Votlts DC/AC) . .	IRSS Serial No. E 4A—58

ANNEXURE III

Each consignment of Electric Fans shall be tested for performance according to the table given below:

ELECTRIC FANS

Level of Control

Sl. No.	Requirement	Reference	No. of samples to be tested	Lot size
1.	Air delivery test	Standard specifications recognised for the purpose	100%	Daily production
2.	Temperature rise of fan motor and regulator	Do.	One Fan for every 20 fans manufactured or part thereof.	Do
3.	Moisture proofness test	Do.		Do
4.	Mechanical endurance test for regulator	Do'		D
5.	High voltage test	Do.	100%	Do.
6.	Insulation resistance test	Do.		
7.	Test for electrical input in watt	Do.		
8.	Measurement of fan speed	Do.		

2. The requirements of the Packing Specification shall be as given below:—

2.1. The package shall be well finished and have a good presentability.

2.2. The inner contents of the package shall be so packed as to withstand Drop Test, Rolling Test and Water Spraying Test as given below:

Drop Test

The package shall be dropped from a height of four feet once on the largest flat surface, once on the longest edge and once on any corner of its own.

Rolling Test

The package shall be subject to rolling on its sides either twenty feet forward and twenty feet backward or forty feet in one direction only.

Water Spraying

The package shall be allowed to be exposed against a water spray equivalent to a normal sudden monsoon shower for five minutes.

ANNEXURE IV

Draft rules proposed to be made under section 17 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963).

1. **Short title and commencement** (1) These rules may be called the Export of Electric Fans (Quality Control and Inspection) Rules, 1966.

(2) They shall come into force with effect from 31st December, 1966.

2. **Definition.**—In these rules, unless the context otherwise requires,—

(a) 'Agency' means any one of the Export Inspection Agencies established at Cochin, Madras, Calcutta, Bombay and Delhi under section 7 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963)

(b) 'electric fans' shall mean any of the electric fans meant for creating displacement of air and operated by electric power as given in the Schedule annexed hereto.

THE SCHEDULE

(*See rule* 2)

1. Table fans
2. Ceiling fans
3. Pedestal fans
4. Propeller fans
5. Centrifugal fans
6. Air Circulators
7. Railway Carriage fans
8. Exhaust fans
9. Portable Blower fans
10. Vacuum Cleaners
11. All purpose fans.

3. **Quality Control and Inspection.**

(1) The quality of the electric fans shall be ensured by exercising the following controls at different stages of their manufacture together with the levels of control as given in Annexure III to this Notification, namely:—

(i) *Bought out materials and components control.*—

(a) Purchase specifications shall be laid down by the manufacturer incorporating the properties of materials or components to be used and the detailed dimensions thereof with tolerances.

(b) The accepted consignments shall be either, accompanied by a supplier's test or inspection certificate corroborating the requirements of the purchase specification, in which case occasional checks shall be conducted by the purchaser for a particular supplier to verify the correctness of the aforesaid test or inspection certificates, or the purchased materials or components shall be regularly inspected or tested either in a laboratory within the factory or in some other laboratory or test house.

(c) The sampling for inspection or test to be carried out, shall be based on a recorded investigation.

(d) After the inspection or test is carried out, systematic methods shall be adopted in segregating the accepted and rejected materials or components and for disposal of rejected materials or components.

(e) Correct and adequate records in respect of the controls shall be regularly and systematically maintained.

(ii) *Process Control*

(a) Detailed process specifications shall be laid down by the manufacturer for different processes of manufacture.

(b) Equipments, instrumentation and facilities shall be adequate to control the processes as laid down in the Process Specifications.

(c) Adequate records shall be maintained to ensure the possibility of verifying the controls exercised during the process of manufacture.

(iii) *Product Control*

(a) Adequate testing facilities to achieve the test results as stipulated in the specifications recognised under section 6 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), shall either be available with the manufacturer in his own premises or be made available by arrangement with some other testing houses.

(b) Sampling (wherever required) for testing shall be based on a recorded investigation.

(c) Correct and adequate records in respect of test carried out shall be regularly and systematically maintained.

(iv) *Preservation Control*

(a) A detailed specification shall be laid down by the manufacturer to safeguard the product from adverse effects of weather conditions.

(b) The product shall be well-preserved both during storage and during transit.

(v) *Packing Control*

A packing specification shall be laid down with a view to satisfying the requirements mentioned in Annexure III to this Notification for packing the aforesaid product and shall be rigidly implemented.

(2) *Inspection*

The inspection of electric fans intended for export shall be carried out with a view to seeing that the aforesaid controls have been exercised at the relevant levels satisfactorily and the electric fans conform to the standard specifications applicable to it.

4. **Procedure of Inspection.**—(1) The exporter or manufacturer shall give intimation in writing to any one of the Agencies recognised under section 7 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), and submit along with such intimation a declaration that the consignment of electric fans have been manufactured by exercising quality control measures as per controls referred to under rule 3 and that the consignment conforms to the requirements of the specifications recognised for this purpose.

(2) The exporter or manufacturer shall also furnish to the Agency the identification marks applied on the consignment.

(3) Every intimation and declaration under sub-rule (1) shall be given not less than fifteen days prior to the despatch of the consignment from the premises of the exporter or manufacturer.

(4) On receipt of the intimation and declaration under sub-rule (1), the Inspection Agency, on satisfying itself that during the process of manufacture, the manufacturer had exercised adequate quality controls to manufacture the electric fans according to the controls mentioned in rule 3 above, shall within three days of carrying out the inspection, issue a certificate declaring whether or not the consignment of electric fans is export-worthy.

5. **Procedure for affixation of recognised mark.**—The provisions of the Indian Standards Institution (Certification Marks) Act, 1952 (36 of 1952), the Indian Standards Institution (Certification Marks) Rules, 1955 and the Indian Standards Institution (Certification Marks) Regulations, 1955, shall, so far as may be, apply to the inspection of electric fans prior to export and electric fans as marked shall not be subjected to any inspection under rule 4.

6. **Place of Inspection.**—Every inspection under these rules shall be carried out at the premises of the manufacturer.

7. **Inspection Fee.**—Subject to a minimum of twenty rupees for each consignment, a fee at the rate of 20 paise for every hundred rupee of f.o.b. value of each such consignment shall be paid by the exporter to the Agency as inspection fee under rule 4.

8. **Appeal.**—(1) Any person aggrieved by the refusal of the Agency to issue a certificate under sub-rule (4) of rule 4 may, within ten days of the receipt of the communication of such refusal by him, prefer an appeal to a panel of experts, consisting of not less than three persons, appointed for the purpose, by the Central Government.

(2) The decision of the said panel of experts on such appeal shall be final.

THE SCHEDULE

(*See* rule 2)

1. Table fans
2. Ceiling fans
3. Pedestal fans
4. Propeller fans
5. Centrifugal fans
6. Air Circulators

7. Railway Carriage fans
8. Exhaust fans
9. Portable Blower fans
10. Vaccum Cleaners
11. All purpose fans.

[No. 60(150)Exp. Insp/66.]

S.O. 3150.—In exercise of the powers conferred by section 7 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), the Central Government hereby recognises the following inspection agencies for quality control and pre-shipment inspection of electric fans specified in the Schedule annexed hereto, prior to their export, namely:

1. Export Inspection Agency, Cochin
2. Export Inspection Agency, Madras
3. Export Inspection Agency, Calcutta
4. Export Inspection Agency, Bombay
5. Export Inspection Agency, Delhi.

THE SCHEDULE

1. Table fans
2. Ceiling fans
3. Pedestal fans
4. Propeller fans
5. Centrifugal fans
6. Air Circulators
7. Railway Carriage fans
8. Exhaust fans
9. Portable Blower fans
10. Vaccum Cleaners
11. All purpose fans.

[No. 60(150)Exp. Insp/66.]

S.O. 3151.—Whereas the Central Government, in exercise of the powers conferred by section 8 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), proposes to recognise the Indian Standards Institution Certification Mark with respect to electric fans for the purpose of denoting that where electric fans are affixed with such mark, they shall be deemed to be in conformity with the standards specification applicable thereto under clause (c) of section 6 of the said Act;

And whereas the Central Government has forwarded the aforesaid proposal to the Export Inspection Council as required by sub-rule (2) of rule 11 of the Export (Quality Control and Inspection) Rules, 1964;

Now, therefore, in pursuance of the said sub-rule, the Central Government hereby publishes the said proposal for the information of the public likely to be affected thereby.

2. Notice is hereby given that any person desiring to forward any objection or suggestion with respect to the said proposal may forward the same within thirty days of the publication of this notification to the Export Inspection Council, 'World Trade Centre', 14/1-B, Ezra Street (7th floor), Calcutta-1.

Explanation.—The expression 'electric fans' for the purpose of this notification, shall mean any of the electric fans meant for creating displacement of air operated by electric power as given in the Schedule below.

THE SCHEDULE

1. Table fans
2. Ceiling fans
3. Pedestal fans

4. Propeller fans
5. Centrifugal fans.
6. Air Circulators
7. Railway Carriage fans
8. Exhaust fans
9. Portable Blower fans
10. Vaccum Cleaners
11. All purpose fans.

[No. 60(150)Exp. Insp/66.]

A. C. BANERJEE, Jt. Secy.

PRINTED IN INDIA BY THE GENERAL MANAGER, GOVERNMENT OF INDIA PRESS, NEW DELHI AND PUBLISHED BY THE MANAGER OF PUBLICATIONS, DELHI, 1966